



---

**LEED Specification Sheet  
DURAPRO AC1875**

February 25, 2015

To Whom It May Concern:

The use of DURAPRO AC1875 SPRAY CONTACT CEMENT could be contributing LEED credits from the Canadian Green Building Council Rating System for New Construction & Major Renovations as follow:

**IEQc3.2: Construction IAQ management plan – Testing before occupancy**

When completely dry DURAPRO AC1875 can contribute to air quality test.

**IEQc4.1: Low-emitting materials – adhesives & sealants**

DURAPRO AC1875 content of VOC is more than 80 g/L less water , therefor do not meet the requirement of South Coast Air Quality Management District (SCAQMD) Rule No.1168. DURAPRO AC1875 contain VOC in excess of 5% by weight.

**IEQc4.4: Low-emitting materials - composite wood and laminate adhesives**

DURAPRO AC1875 contains no urea-formaldehyde resin.

**IEQc4.5: Low-emitting materials – furniture and furnishings**

DURAPRO AC1875 contains no urea-formaldehyde resin.

**MRc2: Construction waste management**

Packaging of DURAPRO AC1875 are made of recuperable and recyclable materials and can be collected for treatment where facilities exist.

**MRc5.1 and 5.2: Material and Resource – Regional materials**

When used in a project site within 800 kilometers (or 2400 kilometers if shipped by rail or water) from the manufacturing plant located at Dorval, Quebec.

This statement is based on the product referenced above and the formulation of the product and the regulations in place according to the date of this letter.

Please use this letter for specification purposes and call 1-800-361-2340 with any further questions.

For a copy of the MSDS or TDS, visit our website at [www.duraproadhesives.com](http://www.duraproadhesives.com) , email at [durapro@dural.ca](mailto:durapro@dural.ca) or call 1-800-361-2340 .